



State of California—Health and Human Services Agency  
California Department of Public Health



MARK B HORTON, MD, MSPH  
Director

ARNOLD SCHWARZENEGGER  
Governor

December 15, 2007

DERRICK TANNER  
LA TESTING  
159 PASADENA AVENUE  
SOUTH PASADENA, CA 91030

Dear DERRICK TANNER:

Certificate No 2283

This is to advise you that the laboratory named above continues to be certified as an environmental testing laboratory pursuant to the provisions of the Health and Safety Code (HSC), Division 101, Part 1, Chapter 4, Section 100825, et seq. Certification for all currently certified Fields of Testing that the laboratory has applied for renewal shall remain in effect until **12/31/2009** unless it is revoked.

**Please note that the renewal application for certification is subject to an on-site process, and the continued use of this certificate is contingent upon:**

- \* **successful completion of the on-site process;**
- \* **acceptable performance in the required proficiency testing (PT) studies;**
- \* **timely payment of all fees, including an annual fee due before December 31, 2008;**
- \* **compliance with Environmental Laboratory Accreditation Program Branch (ELAP) statutes (HSC, Section 100825, et seq.) and Regulations (California Code of Regulations (CCR), Title 22, Division 4, Chapter 19).**

An updated certificate of the "Fields of Testing" will be issued to the laboratory upon successful completion of the on-site process.

The application for the renewal of this certificate must be received before the expiration date to remain in force according to the HSC100845(a).

Please note that the laboratory is required to notify ELAP of any major changes in the laboratory such as the transfer of ownership, change of laboratory director, change in location, or structural alterations which may affect adversely the quality of analyses (HSC, Section 100845(b)(d)). Please include the above certificate number in all your correspondence with ELAP.

If you have any questions, please contact Wanda Porter at (510) 620-3155.

Sincerely,

George C. Kulasingam, Ph.D., Chief  
Environmental Laboratory Accreditation Program Branch

---

Environmental Laboratory Accreditation Program Branch  
850 Marina Bay Parkway, Building P, 1st Floor, MS 0511, Richmond, CA 94804  
Phone (510) 620-3155, Fax (510) 620-3165  
[www.cdph.ca.gov/certlic/labs/Pages/ELAP.aspx](http://www.cdph.ca.gov/certlic/labs/Pages/ELAP.aspx)



CALIFORNIA STATE

ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM BRANCH

**CERTIFICATE OF ENVIRONMENTAL ACCREDITATION**

Is hereby granted to

**LA TESTING**

159 PASADENA AVENUE  
SOUTH PASADENA, CA 91030

Scope of the certificate is limited to the  
"Fields of Testing"  
which accompany this Certificate.

Continued accredited status depends on successful completion of on-site,  
proficiency testing studies, and payment of applicable fees.


This Certificate is granted in accordance with provisions of  
Section 100825, et seq. of the Health and Safety Code.

Certificate No.: **2283**

Expiration Date: **12/31/2009**

Effective Date: **12/15/2007**

Richmond, California  
subject to forfeiture or revocation

  
George C. Kulasingam, Ph.D., Chief  
Environmental Laboratory Accreditation Program Branch

**CALIFORNIA DEPARTMENT OF HEALTH SERVICES  
ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM**

**Accredited Fields of Testing**

**LA TESTING**  
SOUTH PASADENA  
159 PASADENA AVENUE  
SOUTH PASADENA, CA 91030

Lab Phone 800-303-0047

**Certificate No: 2283      Renew Date: 12/31/2007**

**Field of Testing: 101 - Microbiology of Drinking Water**

|         |     |                              |                                 |
|---------|-----|------------------------------|---------------------------------|
| 101.010 | 001 | Heterotrophic Bacteria       | SM9215B                         |
| 101.050 | 001 | Total Coliform               | SM9222A,B,C                     |
| 101.051 | 001 | Fecal Coliform               | SM9221E (MF/EC)                 |
| 101.052 | 001 | E. coli                      | CFR 141.21(f)(6)(i) (MF/EC+MUG) |
| 101.060 | 002 | Total Coliform               | SM9223                          |
| 101.060 | 003 | E. coli                      | SM9223                          |
| 101.140 | 001 | Total Coliform (Enumeration) | SM9222A,B,C                     |
| 101.150 | 001 | Fecal Coliform (Enumeration) | SM9222D                         |
| 101.160 | 001 | Total Coliform (Enumeration) | SM9223                          |

**Field of Testing: 103 - Toxic Chemical Elements of Drinking Water**

|         |     |          |           |
|---------|-----|----------|-----------|
| 103.150 | 009 | Lead     | EPA 200.9 |
| 103.301 | 001 | Asbestos | EPA 100.2 |

**Field of Testing: 107 - Microbiology of Wastewater**

|         |     |                        |                             |
|---------|-----|------------------------|-----------------------------|
| 107.010 | 001 | Heterotrophic Bacteria | SM9215B                     |
| 107.060 | 001 | Total Coliform         | SM9222B                     |
| 107.080 | 001 | Fecal Coliform         | SM9222D                     |
| 107.111 | 001 | Fecal Streptococci     | SM9230C (MF/m-Enterococcus) |
| 107.111 | 002 | Enterococci            | SM9230C (MF/m-Enterococcus) |

**Field of Testing: 109 - Toxic Chemical Elements of Wastewater**

|         |     |      |           |
|---------|-----|------|-----------|
| 109.161 | 001 | Lead | EPA 239.2 |
|---------|-----|------|-----------|

**Field of Testing: 114 - Inorganic Chemistry of Hazardous Waste**

|         |     |      |          |
|---------|-----|------|----------|
| 114.130 | 001 | Lead | EPA 7420 |
|---------|-----|------|----------|

**Field of Testing: 115 - Extraction Test of Hazardous Waste**

|         |     |                             |                                       |
|---------|-----|-----------------------------|---------------------------------------|
| 115.021 | 001 | TCLP Inorganics             | EPA 1311                              |
| 115.030 | 001 | Waste Extraction Test (WET) | CCR Chapter11, Article 5, Appendix II |

**Field of Testing: 121 - Bulk Asbestos Analysis of Hazardous Waste**

|         |     |               |                   |
|---------|-----|---------------|-------------------|
| 121.010 | 001 | Bulk Asbestos | EPA 600/M4-82-020 |
|---------|-----|---------------|-------------------|

**Field of Testing: 126 - Microbiology of Recreational Water**

|         |     |                              |           |
|---------|-----|------------------------------|-----------|
| 126.020 | 001 | Total Coliform (Enumeration) | SM9222A,B |
| 126.040 | 001 | Fecal Coliform (Enumeration) | SM9222D   |
| 126.050 | 001 | Total Coliform and E. coli   | SM9223    |
| 126.080 | 001 | Enterococci                  | IDEXX     |

As of 12/27/2006, this list supersedes all previous lists for this certificate number.  
Customers: Please verify the current accreditation standing with the State.