



Accredited Laboratory

A2LA has accredited

EMSL ANALYTICAL, INC. - ORLANDO

Orlando, FL

for technical competence in the field of

Biological Testing

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025:2017 *General requirements for the competence of testing and calibration laboratories*. This laboratory also meets the requirements of A2LA R204 – *Specific Requirements – AOAC Laboratory Accreditation Program*. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISO-ILAC-IAF Communiqué dated April 2017).



Presented this 23rd day of April 2025.

A blue ink signature of Trace McInturff, written in a cursive style.

Mr. Trace McInturff, Vice President, Accreditation Services
For the Accreditation Council
Certificate Number 2845.49
Valid to March 31, 2028

For the tests to which this accreditation applies, please refer to the laboratory's Biological Scope of Accreditation.



SCOPE OF ACCREDITATION TO ISO/IEC 17025:2017

EMSL ANALYTICAL, INC. - ORLANDO
3303 Parkway Center Court
Orlando, FL 32808
Yessica Martinez-Seeman Phone: 407-599-5887

BIOLOGICAL

Valid To: March 31, 2028

Certificate Number: 2845.49

In recognition of the successful completion of the A2LA evaluation process, (including an assessment of the laboratory's compliance with the A2LA R204 – *Specific Requirements – AOAC Laboratory Accreditation Program Requirements*, containing the 2024 “*AOAC International Guidelines for Laboratories Performing Microbiological and Chemical Analyses of Food, Dietary Supplements, Pharmaceuticals, and Cannabis*”), accreditation is granted to this laboratory to perform the following tests on Food Products, Feeds, Food Additives, Beverages, and Environmental Samples:

<u>Test</u>	<u>Test Method(s)</u>
Aerobic Plate Count – Petrifilm	AOAC 990.12
Enterobacteriaceae - Petrifilm	AOAC 2003.01
<i>Escherichia coli</i> O157:H7 – VIDAS ECPT	V-ECPT-AOAC RI 060903
<i>Listeria</i> – LPT VIDAS	V-LPT-AOAC 2013.10
<i>Listeria monocytogenes</i> - ELFA	AOAC 2013.11
Rapid Yeast & Mold - Petrifilm	AOAC 2014.05
<i>Salmonella</i> – SPT VIDAS	V-SPT-AOAC 2013.10
<i>Staphylococcus aureus</i> - Petrifilm	AOAC 2003.07, AOAC 2003.08, AOAC 2003.11
Total Coliform / <i>E. coli</i> - Petrifilm	AOAC 991.14, AOAC 998.08
Yeast & Mold – Petrifilm	AOAC 997.02