



## AIHA Laboratory Accreditation Programs, LLC

*acknowledges that*

### **EMSL Analytical, Inc**

464 McCormick Street, San Leandro, CA 94577

Laboratory ID: 101748

along with all premises from which key activities are performed, as listed above, has fulfilled the requirements of the AIHA Laboratory Accreditation Programs (AIHA-LAP), LLC accreditation to the ISO/IEC 17025:2005 international standard, *General Requirements for the Competence of Testing and Calibration Laboratories* in the following:

#### **LABORATORY ACCREDITATION PROGRAMS**

- |   |                                     |
|---|-------------------------------------|
| <input checked="" type="checkbox"/> <b>INDUSTRIAL HYGIENE</b>         | Accreditation Expires: May 01, 2020 |
| <input type="checkbox"/> <b>ENVIRONMENTAL LEAD</b>                    | Accreditation Expires:              |
| <input checked="" type="checkbox"/> <b>ENVIRONMENTAL MICROBIOLOGY</b> | Accreditation Expires: May 01, 2020 |
| <input type="checkbox"/> <b>FOOD</b>                                  | Accreditation Expires:              |
| <input type="checkbox"/> <b>UNIQUE SCOPES</b>                         | Accreditation Expires:              |

Specific Field(s) of Testing (FoT)/Method(s) within each Accreditation Program for which the above named laboratory maintains accreditation is outlined on the attached **Scope of Accreditation**. Continued accreditation is contingent upon successful on-going compliance with ISO/IEC 17025:2005 and AIHA-LAP, LLC requirements. This certificate is not valid without the attached **Scope of Accreditation**. Please review the AIHA-LAP, LLC website ([www.aihaaccreditedlabs.org](http://www.aihaaccreditedlabs.org)) for the most current Scope.

*Elizabeth Bair*

Elizabeth Bair  
Chairperson, Analytical Accreditation Board

*Cheryl O. Morton*

Cheryl O. Morton  
Managing Director, AIHA Laboratory Accreditation Programs, LLC

Revision 16: 03/21/2018

Date Issued: 05/03/2018



## AIHA Laboratory Accreditation Programs, LLC SCOPE OF ACCREDITATION

**EMSL Analytical, Inc**  
464 McCormick Street, San Leandro, CA 94577

Laboratory ID: **101748**  
Issue Date: 08/16/2019

The laboratory is approved for those specific field(s) of testing/methods listed in the table below. Clients are urged to verify the laboratory's current accreditation status for the particular field(s) of testing/Methods, since these can change due to proficiency status, suspension and/or withdrawal of accreditation.

### Environmental Microbiology Laboratory Accreditation Program (EMLAP)

**Initial Accreditation Date: 04/01/2005**

EMLAP Category	Field of Testing (FoT)	Method	Method Description <i>(for internal methods only)</i>
<b>Fungal</b>	Air - Culturable	Micro-SOP-202 (formerly EMSL M005)	Detection and Enumeration of Culturable Fungi from Environmental Samples
	Bulk - Culturable	Micro-SOP-202 (formerly EMSL M005)	Detection and Enumeration of Culturable Fungi from Environmental Samples
	Surface - Culturable	Micro-SOP-202 (formerly EMSL M005)	Detection and Enumeration of Culturable Fungi from Environmental Samples
	Air - Direct Examination	Micro-SOP-201 (formerly 05-TP-003.7)	Standard Operating Procedure for the Analysis of Airborne Fungal Spores, Hyphal Fragments, Pollen, Insect Fragments, Skin Fragments and Fibrous Particulate by Optical Microscopy of Spore Trap Samples
	Bulk - Direct Examination	Micro-SOP-200 (formerly EMSL M041)	Standard Operating Procedure for the Microscopic Examination of Fungal Spores, Fungal Structures, Hyphae, Pollen, Insect Fragments, and Fibrous Material from Surface Samples
	Surface - Direct Examination	Micro-SOP-200 (formerly EMSL M041)	Standard Operating Procedure for the Microscopic Examination of Fungal Spores, Fungal Structures, Hyphae, Pollen, Insect Fragments, and Fibrous Material from Surface Samples
<b>Bacterial</b>	Legionella	MICRO-SOP-105	ISO 11731:1998 and ISO 11731-2:2004 Methods

A complete listing of currently accredited Environmental Microbiology laboratories is available on the AIHA-LAP, LLC website at: <http://www.aihaaccreditedlabs.org>