



August 31, 2016

Laboratory ID: 102581

James Hall  
EMSL Analytical, Inc.  
307 West 38th Street  
New York, NY 10018

Dear Mr. Hall:

Congratulations! The AIHA Laboratory Accreditation Programs (AIHA-LAP), LLC's Analytical Accreditation Board (AAB) has approved EMSL Analytical, Inc. as an accredited Industrial Hygiene, Environmental Lead and Environmental Microbiology laboratory.

Accreditation documentation includes the IHLAP, ELLAP and EMLAP accreditation certificate, scope of accreditation document and a copy of the current AIHA-LAP, LLC license agreement (if your completed agreement is not on file at AIHA-LAP, LLC). The accreditation symbol has been designed for use by all AIHA-LAP, LLC accredited laboratories. If your laboratory chooses to use the symbol in its advertising the laboratory's accreditation, you must complete and return the AIHA-LAP, LLC license agreement to a Laboratory Accreditation Specialist. Once submitted, an electronic copy of the accreditation symbol will be sent to you. Please inform us if your laboratory does not wish to use the symbol in advertising.

Laboratory accreditation shall be maintained by continued compliance with IHLAP, ELLAP and EMLAP requirements (*see Policy Modules 2B, 2C, 2D, and 6*), which includes proficient participation in AIHA-LAP, LLC approved proficiency testing, demonstration of competency, or round robin program as indicated on the AIHA-LAP "Approved PT and Round Robin" webpage, its associated Scope/PT table, and as required in Policy Module 6, for all Fields of Testing (FoTs) for which the laboratory is accredited. An accredited laboratory that wishes to expand into a new FoT must submit an updated accreditation application to AIHA-LAP, LLC for review by the AAB.

Any changes in ownership, laboratory location, personnel, FoTs/Methods, or significant procedural changes shall be reported to AIHA-LAP, LLC in writing within twenty (20) business days of the change.

The accreditation certificate is the property of AIHA-LAP, LLC and must be returned to us should your laboratory withdraw or be removed from the IHLAP, ELLAP and EMLAP.

Again, congratulations. If you have any questions, please contact Lauren Schnack, Laboratory Accreditation Specialist, at (703) 846-0716.

Sincerely,

Cheryl O. Morton  
Managing Director  
AIHA Laboratory Accreditation Programs, LLC

*AIHA Laboratory Accreditation Programs, LLC*  
3141 Fairview Park Drive, Suite 777, Falls Church, VA 22042 USA  
main +1 703-846-0736 fax +1 703-207-8558

*Twitter: @AIHA\_LAP\_LLC*

R3 05/05/2015

Page 1 of 1



## AIHA Laboratory Accreditation Programs, LLC

*acknowledges that*

### **EMSL Analytical, Inc.**

307 West 38th Street, New York, NY 10018

Laboratory ID: 102581

along with all premises from which key activities are performed, as listed above, has fulfilled the requirements of the AIHA Laboratory Accreditation Programs (AIHA-LAP), LLC accreditation to the ISO/IEC 17025:2005 international standard, *General Requirements for the Competence of Testing and Calibration Laboratories* in the following:

#### **LABORATORY ACCREDITATION PROGRAMS**

- |   |  |
|---|--|
| <input checked="" type="checkbox"/> <b>INDUSTRIAL HYGIENE</b>         | Accreditation Expires: August 01, 2018 |
| <input checked="" type="checkbox"/> <b>ENVIRONMENTAL LEAD</b>         | Accreditation Expires: August 01, 2018 |
| <input checked="" type="checkbox"/> <b>ENVIRONMENTAL MICROBIOLOGY</b> | Accreditation Expires: August 01, 2018 |
| <input type="checkbox"/> <b>FOOD</b>                                  | Accreditation Expires:                 |
| <input type="checkbox"/> <b>UNIQUE SCOPES</b>                         | Accreditation Expires:                 |

Specific Field(s) of Testing (FoT)/Method(s) within each Accreditation Program for which the above named laboratory maintains accreditation is outlined on the attached **Scope of Accreditation**. Continued accreditation is contingent upon successful on-going compliance with ISO/IEC 17025:2005 and AIHA-LAP, LLC requirements. This certificate is not valid without the attached **Scope of Accreditation**. Please review the AIHA-LAP, LLC website ([www.aihaaccreditedlabs.org](http://www.aihaaccreditedlabs.org)) for the most current Scope.

William Walsh, CIH  
Chairperson, Analytical Accreditation Board

Cheryl O. Morton  
Managing Director, AIHA Laboratory Accreditation Programs, LLC

Revision 15: 03/30/2016

Date Issued: 08/31/2016



## AIHA Laboratory Accreditation Programs, LLC SCOPE OF ACCREDITATION

**EMSL Analytical, Inc.**  
307 West 38th Street, New York, NY 10018

Laboratory ID: **102581**  
Issue Date: 08/31/2016

The laboratory is approved for those specific field(s) of testing/methods listed in the table below. Clients are urged to verify the laboratory's current accreditation status for the particular field(s) of testing/Methods, since these can change due to proficiency status, suspension and/or withdrawal of accreditation.

### Industrial Hygiene Laboratory Accreditation Program (IHLAP)

**Initial Accreditation Date: 07/21/1999**

IHLAP Scope Category	Field of Testing (FoT) (FoTs cover all relevant IH matrices)	Technology sub-type/ Detector	Published Reference Method/Title of In-house Method	Method Description or Analyte <i>(for internal methods only)</i>
Spectrometry Core	Inductively-Coupled Plasma	ICP/AES	NIOSH 7300 Modified	
			NIOSH 7303	
Asbestos/Fiber Microscopy Core	Polarized Light Microscopy (PLM)		EPA 600/R-93/116	
	Phase Contrast Microscopy (PCM)		NIOSH 7400	
	Transmission Electron Microscopy (TEM)		AHERA TEM	

A complete listing of currently accredited Industrial Hygiene laboratories is available on the AIHA-LAP, LLC website at: <http://www.aihaaccreditedlabs.org>



## AIHA Laboratory Accreditation Programs, LLC SCOPE OF ACCREDITATION

### **EMSL Analytical, Inc.**

307 West 38th Street, New York, NY 10018

Laboratory ID: **102581**

Issue Date: 08/31/2016

The laboratory is approved for those specific field(s) of testing/methods listed in the table below. Clients are urged to verify the laboratory's current accreditation status for the particular field(s) of testing/Methods, since these can change due to proficiency status, suspension and/or withdrawal of accreditation.

The EPA recognizes the AIHA-LAP, LLC ELLAP program as meeting the requirements of the National Lead Laboratory Accreditation Program (NLLAP) established under Title X of the Residential Lead-Based Paint Hazard Reduction Act of 1992 and includes paint, soil and dust wipe analysis. Air analysis is not included as part of the NLLAP.

### **Environmental Lead Laboratory Accreditation Program (ELLAP)**

**Initial Accreditation Date: 03/01/2000**

Field of Testing (FoT)	Technology sub-type/ Detector	Method	Method Description <i>(for internal methods only)</i>
<b>Paint</b>		EPA SW-846 3050B	
		EPA SW-846 7000B	
<b>Soil</b>		EPA SW-846 3050B	
		EPA SW-846 7000B	
<b>Settled Dust by Wipe</b>		EPA SW-846 3050B	
		EPA SW-846 7000B	
<b>Airborne Dust</b>		NIOSH 7082	

A complete listing of currently accredited Environmental Lead laboratories is available on the AIHA-LAP, LLC website at: <http://www.aihaaccreditedlabs.org>



## AIHA Laboratory Accreditation Programs, LLC SCOPE OF ACCREDITATION

### EMSL Analytical, Inc.

307 West 38th Street, New York, NY 10018

Laboratory ID: **102581**

Issue Date: 08/31/2016

The laboratory is approved for those specific field(s) of testing/methods listed in the table below. Clients are urged to verify the laboratory's current accreditation status for the particular field(s) of testing/Methods, since these can change due to proficiency status, suspension and/or withdrawal of accreditation.

### Environmental Microbiology Laboratory Accreditation Program (EMLAP)

**Initial Accreditation Date: 09/01/2003**

EMLAP Category	Field of Testing (FoT)	Method	Method Description <i>(for internal methods only)</i>
<b>Fungal</b>	Air - Culturable	M005	Detection and Enumeration of Culturable Fungi From Environmental Samples
	Bulk - Culturable	M005	Detection and Enumeration of Culturable Fungi From Environmental Samples
	Surface - Culturable	M005	Detection and Enumeration of Culturable Fungi From Environmental Samples
	Air - Direct Examination	05-TP-003.7	Standard Operating Procedure for the Analysis of Airborne Fungal Spores, Hyphal Fragments, Pollen, Insect Fragments, Skin Fragments and Fibrous Particulate by Optical Microscopy of Spore Trap Samples
	Bulk - Direct Examination	M041 - Direct Examination	Standard Operating Procedure for the Microscopic Examination of Fungal Spores, Fungal Structures, Hyphae, Pollen, Insect Fragments, and Fibrous Material from Surface Samples
	Surface - Direct Examination	M041 - Direct Examination	Standard Operating Procedure for the Microscopic Examination of Fungal Spores, Fungal Structures, Hyphae, Pollen, Insect Fragments, and Fibrous Material from Surface Samples
<b>Bacterial</b>	Air - Culturable	M009	Detection and Enumeration of Culturable Bacteria from Environmental Samples
	Bulk - Culturable	M009	Detection and Enumeration of Culturable Bacteria from Environmental Samples
	Surface - Culturable	M009	Detection and Enumeration of Culturable Bacteria from Environmental Samples

Effective: 03/12/2013

102581\_Scope\_EMLAP\_2016\_08\_31

Page 1 of 2



<b>EMLAP Category</b>	<b>Field of Testing (FoT)</b>	<b>Method</b>	<b>Method Description</b> <i>(for internal methods only)</i>
<b>Bacterial</b>	Legionella	05-TP-002	Recovery of Legionella from the Environment Using the Center for Disease Control and Prevention's Culture Method

A complete listing of currently accredited Environmental Microbiology laboratories is available on the AIHA-LAP, LLC website at: <http://www.aihaaccreditedlabs.org>