

Michigan Department of
Environment, Great Lakes, and Energy



CERTIFIES:

EMSL ANALYTICAL, INC
CINNAMINSON

HAS BEEN EVALUATED AND IS APPROVED FOR THE FOLLOWING
PARAMETERS FOR THE ANALYSIS OF DRINKING WATER:

CERTIFIED PARAMETERS

Asbestos

This certification requires maintenance of an acceptable quality assurance program,
use of approved methodology and equipment,
and satisfactory performance on evaluation samples.
This certification does not guarantee validity of data generated.



June 30, 2021
Expiration Date


Laboratory Certification Officer

July 1, 2020
Effective Date

9970
Laboratory Number

Michigan Department of
Environment, Great Lakes, and Energy



CERTIFIES:

**EMSL ANALYTICAL, INC
CINNAMINSON**

**HAS BEEN EVALUATED AND IS APPROVED FOR THE FOLLOWING
PARAMETERS FOR THE ANALYSIS OF DRINKING WATER:**


CERTIFIED PARAMETERS

Total Coliform and E.coli
Enumeration of E.coli
Heterotrophic Bacteria
Cryptosporidium and Giardia

**This certification requires maintenance of an acceptable quality assurance program,
use of approved methodology and equipment,
and satisfactory performance on evaluation samples.
This certification does not guarantee validity of data generated.**



June 30, 2021
Expiration Date


Laboratory Certification Officer

June 27, 2023
Fees Paid to Date

July 1, 2020
Effective Date

9970
Laboratory Number



GRETCHEN WHITMER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF
ENVIRONMENT, GREAT LAKES, AND ENERGY
LANSING



LIESL EICHLER CLARK
DIRECTOR

July 8, 2020

Dominic Gehret
EMSL Analytical, Inc.
200 Route 130 North
Cinnaminson, New Jersey 08077

Laboratory No: 9970
Effective Date: 07/08/2020

Dear Mr. Gehret:

SUBJECT: Recognition of Certification for Radiological Testing

EMSL Analytical, Inc.- Cinnaminson NJ certification status with the New Jersey Department of Environmental Protection and other information submitted to this office by your laboratory has been reviewed. Based on this information, the Michigan Department of Environment, Great Lakes, and Energy (EGLE) will recognize results generated by your facility for the radiochemistry parameters listed on your certification from the New Jersey Department of Environmental Protection.


Please note the State of Michigan does not certify laboratories for radiochemistry analyses. This letter only serves as recognition of your facility, so you may analyze drinking water samples originating in the State of Michigan. To maintain recognition status, you must continue to comply with all the requirements of your certification for radiochemistry analysis from the New Jersey Department of Environmental Protection. In addition, your laboratory's recognition status in Michigan is contingent on your laboratory submitting to this office acceptable proficiency test sample results at least annually for each method/analyte combination which recognition is sought.

This recognition will expire on June 30, 2021. Once the laboratory has completed the certification process with the New Jersey Department of Environmental Protection forward a copy of any on-site assessment reports issued with the Laboratory's corrective action reply and any radiological certifications issued. An updated letter will be issued from this office at that time.

Mr. Dominic Gehret
EMSL Analytical, Inc. - Cinnaminson NJ
Page 2
July 8, 2020

If you have questions or comments regarding this information, please contact me by phone at 517-335-9219 or by email at lundyg@michigan.gov.

Sincerely,



Gregg A. Lundy
Laboratory Certification Officer
Laboratory Services Section
Remediation and Redevelopment Division

GL/lsh

CC: EGLE DWEHD Lansing District Office
New Jersey Department of Environmental Protection