

State of Connecticut, Department of Public Health

Approved Environmental Laboratory

THIS IS TO CERTIFY THAT THE LABORATORY DESCRIBED BELOW HAS BEEN APPROVED BY THE STATE DEPARTMENT OF PUBLIC HEALTH PURSUANT TO APPLICABLE PROVISIONS OF THE PUBLIC HEALTH CODE AND GENERAL STATUTES OF CONNECTICUT, FOR MAKING THE EXAMINATIONS, DETERMINATIONS OR TESTS SPECIFIED BELOW WHICH HAVE BEEN AUTHORIZED IN WRITING BY THAT DEPARTMENT.

EMSL ANALYTICAL, INC. – LONG ISLAND, NY

LOCATED AT 10-39 45th Road IN Long Island City, NY 11101

AND REGISTERED IN THE NAME OF Nicholas Straccione

Charles Johnson - Director

THIS CERTIFICATE IS ISSUED IN THE NAME OF Jose Arriaga - Co-Director WHO HAS BEEN DESIGNATED BY THE REGISTERED OWNER/AUTHORIZED AGENT TO BE IN CHARGE OF THE LABORATORY WORK COVERED BY THIS CERTIFICATE OF APPROVAL AS FOLLOWS:

Examination For:
Asbestos Fibers (PCM, TEM)
Asbestos in Bulk (PLM, TEM)
Asbestos in Drinking Water (TEM)

SEE CERTIFIED PARAMETER LIST FOR SPECIFIC TESTS APPROVED

EFFECTIVE RENEWAL DATE April 1, 2025

THIS CERTIFICATE EXPIRES March 31, 2027 AND IS REVOCABLE FOR CAUSE BY THE STATE DEPARTMENT OF PUBLIC HEALTH

DATED AT HARTFORD, CONNECTICUT, THIS 25th DAY OF February, 2025



Registration No.

PH-0170

Lisa Michelle Morrissey
Lisa Michelle Morrissey, MPH
Deputy Commissioner

Rev. Feb. 2023

STATE OF CONNECTICUT



DEPARTMENT OF PUBLIC HEALTH ENVIRONMENT LAB CERTIFICATION PROGRAM (ELCP)

CERTIFIED ANALYTES REPORT FOR ALL MATRICES

EMSL Analytical, Inc.- Long Island, NY

10-39 45TH ROAD
LONG ISLAND CITY, NY 11101

CT REGISTRATION NUMBER : PH-0170

REGISTERED OWNER / AUTHORIZED AGENT : Nicholas Straccione

DIRECTOR : Charles Johnson

CO DIRECTOR(S) : Jose Arriaga

PHONE : (212) 290-0051

LABORATORY REGISTRATION EFFECTIVE DATE : 04/01/2025

LABORATORY REGISTRATION EXPIRATION DATE : 03/31/2027

LABORATORY STATUS : APPROVED

APPROVED BY

Handwritten signature of Lisa Michelle Morrissey in blue ink.

Lisa Michelle Morrissey, MPH
Deputy Commissioner
Connecticut Department of Public Health

REVIEWED BY

Handwritten signature of Jessica Babbitt in black ink.

Jessica Babbitt
Laboratory Consultant

2/25/2025 3:29:44 PM

ANY QUESTIONS CONCERNING THIS DOCUMENT SHOULD BE ADDRESSED TO THE
ENVIRONMENTAL LABORATORY CERTIFICATION PROGRAM AT (860) 509-7389

AIR

STATUS REPORTED ON 2/25/2025

ANALYTE NAME

ASBESTOS

ASBESTOS FIBERS (PCM) NIOSH 7400

ASBESTOS FIBERS (TEM) 40 CFR Part 763, Subpart E,
Appendix A

CONSTRUCTION, RENOVATION & DEMO BLDG MATERIALS

STATUS REPORTED ON 2/25/2025

ANALYTE NAME

ASBESTOS

ASBESTOS IN BULK MATERIALS (PLM) EPA-600-R-93-116	ASBESTOS IN BULK MATERIALS (TEM) EPA-600-R-93-116
---	---

DRINKING WATER (SDWA)

STATUS REPORTED ON 2/25/2025

ANALYTE NAME

ASBESTOS

ASBESTOS IN WATER (TEM) EPA 100.2

Report Profile: Lab Name : EMSL Analytical, Inc.- Long Island, NY
Test Name : *
Matrix Name : *
Matrix Selection = ALL OR SOME MATRICES SELECTED
Certifications approved or provisional on 2/25/2025

THIS IS THE LAST PAGE OF THE REPORT