

State of Connecticut, Department of Public Health

Approved Environmental Laboratory

THIS IS TO CERTIFY THAT THE LABORATORY DESCRIBED BELOW HAS BEEN APPROVED BY THE STATE DEPARTMENT OF PUBLIC HEALTH PURSUANT TO APPLICABLE PROVISIONS OF THE PUBLIC HEALTH CODE AND GENERAL STATUTES OF CONNECTICUT, FOR MAKING THE EXAMINATIONS, DETERMINATIONS OR TESTS SPECIFIED BELOW WHICH HAVE BEEN AUTHORIZED IN WRITING BY THAT DEPARTMENT.

EMSL ANALYTICAL, INC. - CT

LOCATED AT 165 Gracey Avenue IN Meriden, CT 06451

AND REGISTERED IN THE NAME OF Daniel Kocher

THIS CERTIFICATE IS ISSUED IN THE NAME OF Gloria Oriol-Aguilar WHO HAS BEEN DESIGNATED

BY THE REGISTERED OWNER/AUTHORIZED AGENT TO BE IN CHARGE OF THE LABORATORY WORK COVERED BY THIS CERTIFICATE OF APPROVAL AS FOLLOWS:

DRINKING WATER, NON-POTABLE WATER/WASTEWATER

Examination for:
Bacteria
Asbestos - TEM

Examination for:
Asbestos Fibers – PCM, TEM
Asbestos in Bulk – PLM, TEM

SEE CERTIFIED PARAMETER LIST FOR SPECIFIC TESTS APPROVED

EFFECTIVE RENEWAL DATE October 1, 2023

THIS CERTIFICATE EXPIRES September 30, 2025 AND IS REVOCABLE FOR CAUSE BY THE STATE DEPARTMENT OF PUBLIC HEALTH

DATED AT HARTFORD, CONNECTICUT, THIS 1st DAY OF September, 2023



Registration #

PH - 0322

Lori J. Mathieu
Public Health Branch Chief

Rev. Feb. 2023



STATE OF CONNECTICUT

DEPARTMENT OF PUBLIC HEALTH
Environmental Health and Drinking Water Branch



ENVIRONMENTAL LABORATORY CERTIFICATION PROGRAM CERTIFIED ANALYTES REPORT FOR ALL MATRICES

EMSL Analytical, Inc. - CT

165 GRACEY AVENUE
MERIDEN, CT 06451

CT REGISTRATION NUMBER :

REGISTERED OWNER / AUTHORIZED AGENT : Daniel Kocher

DIRECTOR : Gloria Oriol-Aguilar

CO DIRECTOR(S) :

PHONE : (203) 284-5948

LABORATORY REGISTRATION EFFECTIVE DATE :

LABORATORY REGISTRATION EXPIRATION DATE :

LABORATORY STATUS :

APPROVED BY



Lori J Mathieu
Public Health Branch Chief
Environmental Health & Drinking Water Branch

REVIEWED BY

 9/1/2023 3:17:40 PM

Nicole Paradise
Laboratory Consultant

ANY QUESTIONS CONCERNING THIS DOCUMENT SHOULD BE ADDRESSED TO THE ENVIRONMENTAL LABORATORY CERTIFICATION PROGRAM AT (860) 509-7389

AIR

STATUS REPORTED ON 9/1/2023

ANALYTE NAME

ASBESTOS

ASBESTOS FIBERS (PCM) NIOSH 7400

ASBESTOS FIBERS (TEM) 40 CFR Part 763, Subpart E,
Appendix A

CONSTRUCTION, RENOVATION & DEMO BLDG MATERIALS

STATUS REPORTED ON 9/1/2023

ANALYTE NAME

ASBESTOS

ASBESTOS IN BULK MATERIALS (PLM) 40 CFR Part 763, Subpart E, Appendix E	ASBESTOS IN BULK MATERIALS (PLM) EPA-600-R- 93-116
ASBESTOS IN BULK MATERIALS (TEM) EPA-600-R- 93-116	

DRINKING WATER (SDWA)

STATUS REPORTED ON 9/1/2023

ANALYTE NAME

MICROBIOLOGY/BACTERIA

Escherichia coli SM9223B Colilert PA	Heterotrophic plate count SM9215B
Legionella CDC ELITE	Legionella ISO 11731
Total coliforms SM9223B Colilert PA	

ASBESTOS

ASBESTOS IN WATER (TEM) EPA 100.2

NON-POTABLE WATER/ WASTEWATER (CWA)

STATUS REPORTED ON 9/1/2023

ANALYTE NAME

MICROBIOLOGY/BACTERIA

Escherichia coli SM9222G,H,I,J

Fecal coliforms SM9222D

Legionella ISO 11731

Legionella CDC ELITE

Total coliforms SM9222B

Report Profile:

Lab Name : EMSL Analytical, Inc. - CT

Test Name : *

Matrix Name : *

Matrix Selection = ALL OR SOME MATRICES SELECTED

Certifications approved or provisional on 9/1/2023

THIS IS THE LAST PAGE OF THE REPORT