

State of Nevada

Department of Conservation and Natural Resources
Division of Environmental Protection

Certifies that

EMSL Analytical Inc.

200 Route 130 North Cinnaminson, NJ 08077

*Having met the requirements of the
Nevada Administrative Code: NAC 445A*

is hereby approved to perform the analyses as indicated on the most recently issued parameter list which must accompany this certificate to be valid. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.



Expiration Date: 7/31/2022

Donald LaFara
Digitally signed
by Donald LaFara
Date: 2021.10.12
12:21:29 -07'00'

Certificate Number: NJ003372022-2

Donald LaFara, Program Manager, 10/12/2021

**State of Nevada Department of Conservation and Natural Resources
Division of Environmental Protection
Laboratory Scope of Accreditation**

EPA Number: NJ00337

Attachment to Certificate Number: NJ003372022-3


Expiration Date: 7/31/2022

EMSL Analytical Inc.-NJ

200 Route 130 North Cinnaminson, NJ 08077

Matrix: RCRA (Solid & Waste Materials)

Method	Analyte	Start Date	Date Expires	Status
Discipline: Chemistry				
Elutriator	Asbestos in Bulk Material	8/1/2021	7/31/2022	Certified
Elutriator	Asbestos in Soils	8/1/2021	7/31/2022	Certified
EPA 600-R-93-116	Asbestos in Bulk Material	8/1/2021	7/31/2022	Certified



Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

**State of Nevada Department of Conservation and Natural Resources
Division of Environmental Protection
Laboratory Scope of Accreditation**

EPA Number: NJ00337

Attachment to Certificate Number: NJ003372022-3

Expiration Date: 7/31/2022

EMSL Analytical Inc.-NJ

200 Route 130 North Cinnaminson, NJ 08077

Matrix: SDWA (Potable Water)

Method	Analyte	Start Date	Date Expires	Status
Discipline: Chemistry				
EPA 100.2	Asbestos	8/1/2021	7/31/2022	Certified
EPA 200.8	Lead	8/1/2021	7/31/2022	Certified
EPA 200.8	Uranium (Nat.) Total Mass	8/1/2021	7/31/2022	Certified
EPA 537	N-Ethylperfluorooctane sulfonamido acetic acid (EtFOSAA)	8/1/2021	7/31/2022	Certified
EPA 537	N-Methylperfluorooctane sulfonamido acetic acid (MeFOSAA)	8/1/2021	7/31/2022	Certified
EPA 537	Perfluorobutane sulfonic acid (PFBS)	8/1/2021	7/31/2022	Certified
EPA 537	Perfluorodecanoic acid (PFDA)	8/1/2021	7/31/2022	Certified
EPA 537	Perfluorododecanoic acid (PFDoA)	8/1/2021	7/31/2022	Certified
EPA 537	Perfluoroheptanoic acid (PFHpA)	8/1/2021	7/31/2022	Certified
EPA 537	Perfluorohexanesulfonic acid (PFHxS)	8/1/2021	7/31/2022	Certified
EPA 537	Perfluorohexanoic acid (PFHxA)	8/1/2021	7/31/2022	Certified
EPA 537	Perfluorononanoic acid (PFNA)	8/1/2021	7/31/2022	Certified
EPA 537	Perfluorooctanesulfonic acid (PFOS)	8/1/2021	7/31/2022	Certified
EPA 537	Perfluorooctanoic acid (PFOA)	8/1/2021	7/31/2022	Certified
EPA 537	Perfluorotetradecanoic acid (PFTA)	8/1/2021	7/31/2022	Certified
EPA 537	Perfluorotridecanoic acid (PFTTrDA)	8/1/2021	7/31/2022	Certified
EPA 537	Perfluoroundecanoic acid (PFUnA)	8/1/2021	7/31/2022	Certified
EPA 537.1	11-Chloroeicosafuoro-3-oxaundecane-1-sulfonic acid (11-Cl-PF3OUdS)	11/18/2021	7/31/2022	Certified
EPA 537.1	4,8-Dioxa-3H-perfluorononanoic acid (DONA)	11/18/2021	7/31/2022	Certified
EPA 537.1	9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid (9-Cl-PF3ONS)	11/18/2021	7/31/2022	Certified
EPA 537.1	Hexafluoropropylene oxide dimer acid (HFPO-DA)	11/18/2021	7/31/2022	Certified
EPA 537.1	N-Ethylperfluorooctane sulfonamido acetic acid (EtFOSAA)	11/18/2021	7/31/2022	Certified
EPA 537.1	N-Methylperfluorooctane sulfonamido acetic acid (NMeFOSAA)	11/18/2021	7/31/2022	Certified
EPA 537.1	Perfluorobutane sulfonic acid (PFBS)	11/18/2021	7/31/2022	Certified
EPA 537.1	Perfluorodecanoic acid (PFDA)	11/18/2021	7/31/2022	Certified
EPA 537.1	Perfluorododecanoic acid (PFDoA)	11/18/2021	7/31/2022	Certified
EPA 537.1	Perfluoroheptanoic acid (PFHpA)	11/18/2021	7/31/2022	Certified
EPA 537.1	Perfluorohexanesulfonic acid (PFHxS)	11/18/2021	7/31/2022	Certified
EPA 537.1	Perfluorohexanoic acid (PFHxA)	11/18/2021	7/31/2022	Certified

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

**State of Nevada Department of Conservation and Natural Resources
Division of Environmental Protection
Laboratory Scope of Accreditation**

EPA Number: NJ00337

Attachment to Certificate Number: NJ003372022-3

Expiration Date: 7/31/2022

EMSL Analytical Inc.-NJ


200 Route 130 North Cinnaminson, NJ 08077

Matrix: SDWA (Potable Water)

Method	Analyte	Start Date	Date Expires	Status
EPA 537.1	Perfluorononanoic acid (PFNA)	11/18/2021	7/31/2022	Certified
EPA 537.1	Perfluorooctanesulfonic acid (PFOS)	11/18/2021	7/31/2022	Certified
EPA 537.1	Perfluorooctanoic acid (PFOA)	11/18/2021	7/31/2022	Certified
EPA 537.1	Perfluorotetradecanoic acid (PFTA)	11/18/2021	7/31/2022	Certified
EPA 537.1	Perfluorotridecanoic acid (PFTTrDA)	11/18/2021	7/31/2022	Certified
EPA 537.1	Perfluoroundecanoic acid (PFUnA)	11/18/2021	7/31/2022	Certified

Discipline: Radiochemistry

EPA 900.0	Gross-alpha	8/1/2021	7/31/2022	Certified
EPA 900.0	Gross-beta	8/1/2021	7/31/2022	Certified
EPA 903.0	Radium-226	8/1/2021	7/31/2022	Certified
EPA 904.0	Radium-228	8/1/2021	7/31/2022	Certified



Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.