

NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER



Expires 12:01 AM April 01, 2024
Issued April 01, 2023
Revised April 24, 2023

CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

*MR. DANIEL CLARKE
EMSL ANALYTICAL, INC.
528 MINEOLA AVE.
CARLE PLACE, NY 11514*

NY Lab Id No: 11469

*is hereby APPROVED as an Environmental Laboratory in conformance with the
National Environmental Laboratory Accreditation Conference Standards (2016) for the category
ENVIRONMENTAL ANALYSES POTABLE WATER
All approved analytes are listed below:*

Bacteriology

| | |
|---|--|
| Coliform, Total / E. coli (Qualitative) | SM 21, 23 9222A,B,C SM 20, 21-23 9223B (-04) (Colilert) |
| E. coli (Enumeration) | SM 21, 23 9222A,B,C |
| Heterotrophic Plate Count | SM 20, 21-23 9215B (-04) |

Metals I

| | |
|-------------|---------------------------------|
| Lead, Total | EPA 200.5 EPA 200.8 Rev. 5.4 |
|-------------|---------------------------------|

Miscellaneous

| | |
|----------|-----------|
| Asbestos | EPA 100.2 |
|----------|-----------|



Serial No.: 67786

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to elap@health.ny.gov.

