

COMMONWEALTH of VIRGINIA

Department of Professional and Occupational Regulation

9960 Mayland Drive, Suite 400, Richmond, VA 23233

Telephone: (804) 367-8500

EXPIRES ON
08-31-2022

NUMBER
3334000020

BOARD FOR ASBESTOS, LEAD, AND HOME INSPECTORS
ASBESTOS ANALYTICAL LAB BRANCH OFFICE



EMSL ANALYTICAL, INC.
2975 BRIGHTONHENRIETTA TOWNLINE
BUILDING 100, SUITE 130
ROCHESTER, NY 14623



Mary Broz-Vaughan
Mary Broz-Vaughan, Director

Status can be verified at <http://www.dpor.virginia.gov>

(SEE REVERSE SIDE FOR PRIVILEGES AND INSTRUCTIONS)

DPOR-LIC (02/2017)

(DETACH HERE)



COMMONWEALTH of VIRGINIA
Department of Professional and Occupational Regulation

BOARD FOR ASBESTOS, LEAD, AND HOME INSPECTORS
ASBESTOS ANALYTICAL LAB BRANCH OFFICE
NUMBER: 3334000020 EXPIRES: 08-31-2022

EMSL ANALYTICAL, INC.
2975 BRIGHTONHENRIETTA TOWNLINE
BUILDING 100, SUITE 130
ROCHESTER, NY 14623



(FOLD)

Status can be verified at <http://www.dpor.virginia.gov>

DPOR-PC (02/2017)