

COMMONWEALTH of VIRGINIA

Department of Professional and Occupational Regulation

9960 Mayland Drive, Suite 400, Richmond, VA 23233

Telephone: (804) 367-8500

EXPIRES ON

08-31-2022

NUMBER

3334000014

BOARD FOR ASBESTOS, LEAD, AND HOME INSPECTORS  
ASBESTOS ANALYTICAL LAB BRANCH OFFICE



EMSL ANALYTICAL, INC.  
10752 BALTIMORE AVENUE  
BELTSVILLE, MD 20705



*Mary Broz-Vaughan*  
Mary Broz-Vaughan, Director

Status can be verified at <http://www.dpor.virginia.gov>

(SEE REVERSE SIDE FOR PRIVILEGES AND INSTRUCTIONS)

DPOR-LIC (02/2017)

(DETACH HERE)



COMMONWEALTH of VIRGINIA

Department of Professional and Occupational Regulation

BOARD FOR ASBESTOS, LEAD, AND HOME INSPECTORS  
ASBESTOS ANALYTICAL LAB BRANCH OFFICE  
NUMBER: 3334000014 EXPIRES: 08-31-2022

EMSL ANALYTICAL, INC.  
10752 BALTIMORE AVENUE  
BELTSVILLE, MD 20705



(Fold)

PRINTED IN THE U.S.A. 03/01/16

Status can be verified at <http://www.dpor.virginia.gov>

DPOR-PC (02/2017)