

COMMONWEALTH of VIRGINIA

Department of Professional and Occupational Regulation

9960 Mayland Drive, Suite 400, Richmond, VA 23233

Telephone: (804) 367-8500

EXPIRES ON
08-31-2025

NUMBER
3334000015

BOARD FOR ASBESTOS, LEAD, AND HOME INSPECTORS
ASBESTOS ANALYTICAL LAB BRANCH OFFICE



EMSL ANALYTICAL INC
6340 CASTLEPLACE DRIVE
INDIANAPOLIS, IN 46250



Barbara
Barbara F. Whitford, Director

Status can be verified at <http://www.dpor.virginia.gov>

(SEE REVERSE SIDE FOR PRIVILEGES AND INSTRUCTIONS)

DPOR-LIC (02/2017)

(DETACH HERE)



BOARD FOR ASBESTOS, LEAD, AND HOME INSPECTORS
ASBESTOS ANALYTICAL LAB BRANCH OFFICE
NUMBER: 3334000015 EXPIRES: 08-31-2025

EMSL ANALYTICAL INC
6340 CASTLEPLACE DRIVE
INDIANAPOLIS, IN 46250



(FOLD)

Status can be verified at <http://www.dpor.virginia.gov>

DPOR-PC (02/2017)