

COMMONWEALTH of VIRGINIA

Department of Professional and Occupational Regulation

9960 Mayland Drive, Suite 400, Richmond, VA 23233

Telephone: (804) 367-8500

EXPIRES ON  
07-31-2022

NUMBER  
3334000013

BOARD FOR ASBESTOS, LEAD, AND HOME INSPECTORS  
ASBESTOS ANALYTICAL LAB BRANCH OFFICE



EMSL ANALYTICAL, INC.  
2500 GATEWAY CENTRE BOULEVARD  
SUITE 600  
MORRISVILLE, NC 27560



*Mary Broz-Vaughan*  
Mary Broz-Vaughan, Director

Status can be verified at <http://www.dpor.virginia.gov>

(SEE REVERSE SIDE FOR PRIVILEGES AND INSTRUCTIONS)

DPOR-LIC (02/2017)

(DETACH HERE)

**DPOR** COMMONWEALTH of VIRGINIA  
Department of Professional and Occupational Regulation

BOARD FOR ASBESTOS, LEAD, AND HOME INSPECTORS  
ASBESTOS ANALYTICAL LAB BRANCH OFFICE  
NUMBER: 3334000013 EXPIRES: 07-31-2022

EMSL ANALYTICAL, INC.  
2500 GATEWAY CENTRE BOULEVARD  
SUITE 600  
MORRISVILLE, NC 27560



(FOLD)

Status can be verified at <http://www.dpor.virginia.gov>

DPOR-PC (02/2017)