

COMMONWEALTH of VIRGINIA

Department of Professional and Occupational Regulation

9960 Mayland Drive, Suite 400, Richmond, VA 23233

Telephone: (804) 367-8500

EXPIRES ON

08-31-2025

NUMBER

3334000020

BOARD FOR ASBESTOS, LEAD, AND HOME INSPECTORS
ASBESTOS ANALYTICAL LAB BRANCH OFFICE



EMSL ANALYTICAL, INC.
2975 BRIGHTONHENRIETTA TOWNLINE
BUILDING 100, SUITE 130
ROCHESTER, NY 14623



Brian Wolford, Interim Director

Status can be verified at <http://www.dpor.virginia.gov>

(SEE REVERSE SIDE FOR PRIVILEGES AND INSTRUCTIONS)

DPOR-LIC (02/2017)

(DETACH HERE)



COMMONWEALTH of VIRGINIA

Department of Professional and Occupational Regulation

BOARD FOR ASBESTOS, LEAD, AND HOME INSPECTORS
ASBESTOS ANALYTICAL LAB BRANCH OFFICE
NUMBER: 3334000020 EXPIRES: 08-31-2025

EMSL ANALYTICAL, INC.
2975 BRIGHTONHENRIETTA TOWNLINE
BUILDING 100, SUITE 130
ROCHESTER, NY 14623



(FOLD)

Status can be verified at <http://www.dpor.virginia.gov>

DPOR-PC (02/2017)