

COMMONWEALTH of VIRGINIA

Department of Professional and Occupational Regulation

9960 Mayland Drive, Suite 400, Richmond, VA 23233

Telephone: (804) 367-8500

EXPIRES ON

02-28-2021

NUMBER

3333000075

BOARD FOR ASBESTOS, LEAD, AND HOME INSPECTORS
ASBESTOS ANALYTICAL LABORATORY LICENSE
PCM PLM TEM



EMSL ANALYTICAL, INC.
200 ROUTE 130 NORTH
ATTN: ANASTASIA KRAKHALEVA
CINNAMINSON, NJ 08077



Mary Broz-Vaughan
Mary Broz-Vaughan, Director

Status can be verified at <http://www.dpor.virginia.gov>

(SEE REVERSE SIDE FOR PRIVILEGES AND INSTRUCTIONS)

DPOR-LIC (02/2017)

(DETACH HERE)



COMMONWEALTH of VIRGINIA

Department of Professional and Occupational Regulation

BOARD FOR ASBESTOS, LEAD, AND HOME INSPECTORS
ASBESTOS ANALYTICAL LABORATORY LICENSE

PCM PLM TEM

NUMBER: 3333000075 EXPIRES: 02-28-2021

EMSL ANALYTICAL, INC.
200 ROUTE 130 NORTH
ATTN: ANASTASIA KRAKHALEVA
CINNAMINSON, NJ 08077



(FOLD)

Status can be verified at <http://www.dpor.virginia.gov>

DPOR-PC (02/2017)