



EMSL ANALYTICAL, INC.
 200 Route 130 North
 Cinnaminson, NJ 08077
 Telephone: (856)858-4800 FAX: (856)858-4571
to15lab@EMSL.com | <http://www.EMSL.com>

EMSL ORDER ID: 491800115
 EMSL CUSTOMER ID: EMSL50
 EMSL SAMPLE ID: 491800115-0001
 CUSTOMER SAMPLE ID: VOC-01

Attention: EMSL Analytical, Inc
 200 US Route 130 North
 Cinnaminson, NJ 08077

Customer PO:
EMSL Project ID:
Project Name: USEPA TO-15 Sample Report

Phone: 856-858-4800
Email: to15lab@EMSL.com

Collected: 10/22/2020 10:12
Received: 10/23/2020 8:32
Analyzed: See Results
Reported: 10/23/2020

Analysis Initial	Analysis Date	Analyst Init.	Lab File ID	Canister ID	Sample Vol.	Dil. Factor
Dilution1	10/22/2020	KW	K14736.D	HD4365	250 cc	1
	10/22/2020	KW	K14753.D	HD4365	50 cc	5

Ohio EPA Indoor air standards due to vapor intrusion (commercial land use category)

Target Compounds	Tox. Basis	CAS#	MW	Result ppbv	Q	Result ug/m3	Non-Carcin. ug/m3	Carcinogenic ug/m3
Propylene	NC	115-07-1	42.08	ND		ND	N.E.	N.E.
Freon 12(Dichlorodifluoromethane)	NC	75-71-8	120.90	ND		ND	N.E.	N.E.
Freon 114(1,2-Dichlorotetrafluoroethan	--	76-14-2	170.90	ND		ND	N.E.	N.E.
Chloromethane	NC	74-87-3	50.49	0.78		1.6	390	N.E.
n-Butane	--	106-97-8	58.12	65	D	160	N.E.	N.E.
Vinyl chloride	C	75-01-4	62.50	ND		ND	440	28.0
1,3-Butadiene	C	106-99-0	54.09	ND		ND	8.80	0.410
Bromomethane	NC	74-83-9	94.94	ND		ND	22.0	N.E.
Chloroethane	NC	75-00-3	64.52	ND		ND	44000	N.E.
Ethanol	--	64-17-5	46.07	450	DE	850	N.E.	N.E.
Bromoethene(Vinyl bromide)	C	593-60-2	106.90	ND		ND	13.0	3.80
Freon 11(Trichlorofluoromethane)	--	75-69-4	137.40	ND		ND	3100	N.E.
Isopropyl alcohol(2-Propanol)	NC	67-63-0	60.10	17		41	N.E.	N.E.
Freon 113(1,1,2-Trichlorotrifluoroethan	NC	76-13-1	187.40	ND		ND	N.E.	N.E.
Acetone	NC	67-64-1	58.08	48	D	120	140000	N.E.
1,1-Dichloroethene	NC	75-35-4	96.94	ND		ND	880	N.E.
Acetonitrile	NC	75-05-8	41.00	ND		ND	260	N.E.
Tertiary butyl alcohol(TBA)	--	75-65-0	74.12	ND		ND	N.E.	N.E.
Bromoethane(Ethyl bromide)	--	74-96-4	108.00	ND		ND	N.E.	N.E.
3-Chloropropene(Allyl chloride)	C	107-05-1	76.53	ND		ND	4.40	20.0
Carbon disulfide	NC	75-15-0	76.14	ND		ND	3100	N.E.
Methylene chloride	C	75-09-2	84.94	ND		ND	2600	12000
Acrylonitrile	C	107-13-1	53.00	ND		ND	8.80	1.80
Methyl-tert-butyl ether(MTBE)	C	1634-04-4	88.15	ND		ND	13000	470
trans-1,2-Dichloroethene	--	156-60-5	96.94	ND		ND	260	N.E.
n-Hexane	NC	110-54-3	86.17	0.80		2.8	3100	N.E.
1,1-Dichloroethane	C	75-34-3	98.96	ND		ND	N.E.	77.0
Vinyl acetate	NC	108-05-4	86.00	ND		ND	880	N.E.
2-Butanone(MEK)	NC	78-93-3	72.10	1.5		4.4	22000	N.E.
cis-1,2-Dichloroethene	--	156-59-2	96.94	ND		ND	N.E.	N.E.
Ethyl acetate	NC	141-78-6	88.10	4.4		16	310	N.E.
Chloroform	C	67-66-3	119.40	1.0		5.1	430	5.30
Tetrahydrofuran	NC	109-99-9	72.11	ND		ND	8800	N.E.
1,1,1-Trichloroethane	NC	71-55-6	133.40	ND		ND	22000	N.E.
Cyclohexane	NC	110-82-7	84.16	ND		ND	26000	N.E.
2,2,4-Trimethylpentane(Isooctane)	--	540-84-1	114.20	0.85		4.0	N.E.	N.E.
Carbon tetrachloride	C	56-23-5	153.80	ND		ND	440	20.0
n-Heptane	NC	142-82-5	100.20	ND		ND	N.E.	N.E.
1,2-Dichloroethane	C	107-06-2	98.96	ND		ND	31.0	4.70
Benzene	C	71-43-2	78.11	1.7		5.4	130	16.0
Trichloroethene	C	79-01-6	131.40	ND		ND	8.80	30.0
1,2-Dichloropropane	C	78-87-5	113.00	ND		ND	18.0	12.0
Methyl Methacrylate	NC	80-62-6	100.12	ND		ND	3100	N.E.
Bromodichloromethane	C	75-27-4	163.80	ND		ND	N.E.	3.30
1,4-Dioxane	C	123-91-1	88.12	ND		ND	N.E.	N.E.
4-Methyl-2-pentanone(MIBK)	NC	108-10-1	100.20	ND		ND	13000	N.E.
cis-1,3-Dichloropropene**	C	10061-01-5	111.00	ND		ND	88.0	31.0



EMSL ANALYTICAL, INC.
 200 Route 130 North
 Cinnaminson, NJ 08077
 Telephone: (856)858-4800 FAX: (856)858-4571
to15lab@EMSL.com | <http://www.EMSL.com>

EMSL ORDER ID: 491800115
 EMSL CUSTOMER ID: EMSL50
 EMSL SAMPLE ID: 491800115-0001
 CUSTOMER SAMPLE ID: VOC-01

Attention: EMSL Analytical, Inc
 200 US Route 130 North
 Cinnaminson, NJ 08077

Customer PO:
EMSL Project ID:
Project Name: USEPA TO-15 Sample Report

Phone: 856-858-4800
Email: to15lab@EMSL.com

Collected: 10/22/2020 10:12
Received: 10/23/2020 8:32
Analyzed: See Results
Reported: 10/23/2020

Analysis Initial	Analysis Date	Analyst Init.	Lab File ID	Canister ID	Sample Vol.	Dil. Factor
Dilution1	10/22/2020	KW	K14736.D	HD4365	250 cc	1
	10/22/2020	KW	K14753.D	HD4365	50 cc	5

Ohio EPA Indoor air standards due to vapor intrusion (commercial land use category)

Target Compounds	Tox. Basis	CAS#	MW	Result ppbv	Q	Result ug/m3	Non-Carcin. ug/m3	>	Carcinogenic ug/m3	>
Toluene	NC	108-88-3	92.14	3.7		14	22000		N.E.	
trans-1,3-Dichloropropene**	C	10061-02-6	111.00	ND		ND	88.0		31.0	
1,1,2-Trichloroethane	C	79-00-5	133.40	ND		ND	N.E.		7.70	
2-Hexanone(MBK)	NC	591-78-6	100.10	ND		ND	N.E.		N.E.	
Tetrachloroethene	C	127-18-4	165.80	3.0		20	180		470	
Dibromochloromethane	--	124-48-1	208.30	ND		ND	N.E.		4.50	
1,2-Dibromoethane	C	106-93-4	187.80	ND		ND	39.0		0.200	
Chlorobenzene	NC	108-90-7	112.60	ND		ND	220		N.E.	
Ethylbenzene	C	100-41-4	106.20	0.63		2.7	4400		49.0	
Xylene (p,m)	NC	1330-20-7	106.20	1.9		8.3	440		N.E.	
Xylene (Ortho)	NC	95-47-6	106.20	0.74		3.2	440		N.E.	
Styrene	NC	100-42-5	104.10	ND		ND	4400		N.E.	
Isopropylbenzene (cumene)	NC	98-82-8	120.19	ND		ND	1800		N.E.	
Bromoform	C	75-25-2	252.80	ND		ND	N.E.		N.E.	
1,1,2,2-Tetrachloroethane	C	79-34-5	167.90	ND		ND	N.E.		2.10	
4-Ethyltoluene	--	622-96-8	120.20	1.3		6.4	N.E.		N.E.	
1,3,5-Trimethylbenzene	NC	108-67-8	120.20	ND		ND	N.E.		N.E.	
2-Chlorotoluene	--	95-49-8	126.60	ND		ND	N.E.		N.E.	
1,2,4-Trimethylbenzene	NC	95-63-6	120.20	1.7		8.2	31.0		N.E.	
1,3-Dichlorobenzene	--	541-73-1	147.00	ND		ND	N.E.		N.E.	
1,4-Dichlorobenzene	C	106-46-7	147.00	ND		ND	3500		11.0	
Benzyl chloride	C	100-44-7	126.00	ND		ND	4.40		2.50	
1,2-Dichlorobenzene	NC	95-50-1	147.00	ND		ND	880		N.E.	
1,2,4-Trichlorobenzene	NC	120-82-1	181.50	ND		ND	8.80		N.E.	
Hexachloro-1,3-butadiene	C	87-68-3	260.80	ND		ND	N.E.		N.E.	
Naphthalene	C	91-20-3	128.17	ND		ND	13.0		3.60	

**The concentrations of each isomer should be added if multiple isomers are present and compared to the total screening level.

The > column is used to flag exceedances as marked

Exposure Limit Definitions

RBC= Risk Based Concentration

Compound Exposure Definitions

NE= No Limit Established NS= No Screening Value
 LFC= Lowest Feasible Concentration

Agency Definitions

Ohio Environmental Protection Agency

Reference

Ohio Voluntary Action Program(VAP) Rules, May 2016

Qualifier Definitions

B = Compound also found in method blank. ND = Non Detect
 E= Estimated concentration exceeding upper calibration range.
 D= Result reported from diluted analysis.
 J= Concentration estimated between Reporting Limit and MDL.

Carcinogenic (C) Exceedance

Value exceeds the theoretical risk that 1 additional case of cancer will occur in a population of 1 million than statistically expected.
 Thus is a theoretical risk and not an actual epidemiological one.

NonCarcinogenic (NC) Exceedance

Value exceeds the theoretical risk that 1 in a population of 100,000 will experience deleterious health effects.
 Thus is a theoretical risk and not an actual epidemiological one.